CLAIMS:

I claim:

5

10

15

20

25

1. A dispensing apparatus for adhesive tape with protective backing, comprising:

a frame;

a supply reel rotatably mounted to said frame, wherein said supply reel accepts a spool of tape;

a guide roller rotatably mounted to said frame, wherein said guide roller accepts a section of tape from said spool;

a feeder roller rotatably mounted to said frame, wherein said feeder roller accepts said section of tape, and wherein said protective backing separates from said section of tape;

a takeup roller rotatably mounted to said frame for receiving said protective backing; and

a rubber band drive connecting said feeder roller with said takeup roller.

2. A dispensing apparatus as in claim 1, wherein said supply reel has a means of tension control.

3. A dispensing apparatus as in claim 1, wherein said supply reel consists of an inner shaft assembly fixedly attached to said side panel, a shaft guide, a feeder spool, a washer, and a tension spring controlled by a tension dial.

- 4. A dispensing apparatus as in claim 1, wherein said frame has an access panel hingedly attached to said frame.
- 5. A dispensing apparatus as in claim 1, further comprising a handle attached to said frame.
- 6. A dispensing apparatus as in claim 5, wherein said handle is removable.



5

15

20

25

- 7. A dispensing apparatus as in claim 1, further comprising a cutting blade connected to said frame.
- 8. A dispensing apparatus as in claim 1, wherein said cutting blade is adjustable.
- 9. A dispensing apparatus as in claim 1, wherein said takeup roller and said feeder roller have a rubber outer surface.
- 10. A dispensing apparatus as in claim 1, further comprising a belt mountable hook attached to said frame.
 - 11. A dispensing apparatus as in claim 10, wherein said belt mountable hook engages a rafter mount to fixedly attach said dispenser.
 - 12. A dispensing apparatus as in claim 1, wherein said dispenser engages a surface mount platform.
 - 13. A dispensing apparatus as in claim, wherein said dispenser is constructed from the group consisting of stainless steel, steel, aluminum, and plastic.
 - 14. A dispensing apparatus as in claim 1, wherein said feeder roller is comprised of a threaded inner shaft, an insert surrounding said shaft, and a rubber sleeve encasing said insert, and wherein said takeup roller is comprised of a threaded inner shaft, an insert surrounding said shaft, and a rubber sleeve encasing said insert.
 - 15. A dispensing apparatus as in claim 14, wherein said feeder roller insert has a groove and said takeup roller insert has a groove, wherein said rubber band is positioned in said feeder roller insert groove and in said takeup roller insert groove.



10

15

20

25

- 16. A dispensing apparatus as in claim 15, wherein said takeup roller insert groove is deeper than said feeder roller insert groove.
- 17. A dispensing apparatus for adhesive tape with protective backing, comprising:
 - a frame:
 - a supply reel rotatably mounted to said frame, wherein said supply reel accepts a spool of said adhesive tape with protective backing;
 - a feeder roller rotatably mounted to said frame, wherein said feeder roller accepts a section of tape from said spool, and wherein said protective backing separates from said section of tape;
 - a takeup roller rotatably mounted to said frame for receiving said protective backing;
 - a rubber band drive connecting said feeder roller with said takeup roller; and a means of establishing a rate differential between said takeup roller and said feeder roller.
- 18. A dispensing apparatus as in claim 17, wherein said rate differential means includes a smaller dimension takeup roller.
- 19. A dispensing apparatus as in claim 17, wherein said takeup roller has a takeup roller insert groove connecting to said rubber band, wherein said feeder roller has a feeder roller insert groove connecting to said rubber band, and wherein said rubber band, said takeup roller insert groove, and said feeder roller insert groove establish said rate differential means.
- 20. A dispensing apparatus for adhesive tape with protective backing, comprising:

 a frame having an access panel, a side panel and a front panel, wherein said access panel is hingedly attached to said frame;

24



a supply reel fixedly attached to said side panel, wherein said supply reel accepts a spool of tape, and wherein said supply reel secures said spool to said reel with a fastener;

a guide roller rotatably attached between said side panel and said front panel; a feeder roller rotatably attached between said side panel and said front panel; a takeup roller rotatably attached between said side panel and said front panel, wherein said takeup roller is parallel to said guide roller and said feeder roller; a rubber band drive connecting said feeder roller with said takeup roller, wherein said protective backing separates from said adhesive tape and collects on said takeup roller;

a handle attached to said frame.

5

10